SYSTEM IDENTIFICATION AND DATA ANALYSIS

Silvio Simani

Office: Building A, 3rd floor, n. 344

Email: ssimani@ing.unife.it

Phone: +39 0532 97 4844

URL: www.ing.unife.it/simani

General Course Information

11:30-13:30, Info Lab. or lecture room 3; Monday, Lectures:

Tuesday, 8:30-11:30, lecture room 7;

Thursday, 10:30-12:30, lecture room 7.

Instructor: Silvio Simani

Textbook:

Lennart Ljung, System Identification: Theory for the User, 2nd Edition, Prentice-Hall, 1999 (Book's web page: http://www.control.isy.liu.se/~ljung/sysid)

Reference books:

- L. Ljung and T. Glad, Modeling of Dynamic Systems, Prentice Hall, 1994
- T. Soderstrom and P. Stoica, System Identification, Prentice Hall International (UK) Ltd, 1989

Course web-page:

www.ing.unife.it/simani/lessons.html

Course Outline

- Introduction and overview on system identification
- 2. Non-recursive (off-line) identification methods
- Non-recursive and recursive (on-line) identification methods
- 4. Recursive identification methods
- Practical aspects and applications of system identification

Associated Reading in the Textbook

- 1. Introduction and overview on system identification (Ch. 1; 4.1-4.3; Ch. 6)
- 2. Non-recursive (off-line) identification methods (Ch. 7)
- 3. Non-recursive and recursive (on-line) identification methods (Ch. 10; Ch. 11)
- 4. Recursive identification methods (Ch. 11)
- 5. Practical aspects and applications of system identification (Ch. 13, 14, 16, 17)

System Identification and Data Analysis Lecture 1


Introduction and Overview

- What is System Identification (SI)?
- Introduction to systems and models
- Procedure of system identification
- · Methods of system identification
- Review on topics covered in course "Automatica I (Laboratorio)"
- · Examples of system identification

System Identification

"Identification is the determination, on the basis of input and output, of a system within a specified class of systems, to which the system under test is equivalent."

- L. Zadeh, (1962)



System identification is the field of *modeling* dynamic systems from *experimental data*

Systems

System: A collection of components which are coordinated together to perform a function.

A system is a defined part of the real world. Interactions with the environment are described by inputs, outputs, and disturbances.

Dynamic system: A system with a memory, i.e., the input value at time *t* will influence the output at future instants.

Examples of dynamic system: (pp. 2-6, textbook)

- Example 1.1 A Solar-Heated House
- Example 1.2 A Military Aircraft
- Example 1.3 Speech

Ex. A Solar Heated House




Figure 1.2 A solar-heated house.






Figure 1.3 The solar-heated house system: u: input; I: measured disturbance; y: output; v: unmeasured disturbances.



(a) Storage temperature

(a) Pump velocity



(a) Solar intensity

Figure 1.4 Storage temperature y, pump velocity u, and solar intensity I over a 50-hour period. Sampling interval: 10 minutes.

Ex. Speech




Figure 1.7 Speech generation.




Figure 1.8 The speech system: y: output; v: unmeasured disturbance.





Figure 1.9 The speech signal (air pressure). Data sampled every 0.125 ms. (8 kHz sampling rate).



Aircraft Model


Symbol	Sensor Variable
δ_e	Elevator deflection angle
δ_a	Aileron deflection angle
δ_a	Rudder deflection angle
δ_{th}	Throttle aperture %
V	True Air Speed
Q	Pitch Rate
θ	Elevation Angle
Н	Altitude
P	Roll Rate
R	Yaw Rate
ϕ	Bank Angle
ψ	Heading Angle
n	Engine Angular Rate

120 MW Power Plant "Pont sur Sambre"

Process Description



3 major components: the reactor, turbine, & condenser



Aircraft Mathematical Model

$$\dot{V} = F_x \frac{\cos \alpha \cos \beta}{m} + F_y \frac{\sin \beta}{m} + F_z \frac{\sin \alpha \cos \beta}{m}$$

$$\dot{\alpha} = \frac{-F_x \sin \alpha + F_z \cos \alpha}{mV \cos \beta} + Q - (P \cos \alpha + R \sin \alpha) \tan \beta$$

$$\dot{\beta} = \frac{-F_x \cos \alpha \sin \beta + F_y \cos \beta - F_z \sin \alpha \sin \beta}{mV} + P \sin \alpha - R \cos \alpha$$

$$\dot{P} = \frac{M_x I_z + M_z I_{xz} + PQ I_{xz} (I_x - I_y + I_z)}{I_x I_z - I_{xz}^2} + \frac{QR \left(I_y I_z - I_{xz}^2 - I_z^2\right)}{I_x I_z - I_{xz}^2}$$

$$\dot{Q} = \frac{M_y + PR (I_z - I_x) - P^2 I_{xz} + R^2 I_{xz}}{I_y}$$

$$\dot{R} = \frac{M_x I_{xz} + M_z I_x + PQ \left(I_x^2 - I_x I_y + I_{xz}^2\right)}{I_x I_z - I_{xz}^2} + \frac{QR I_{xz} \left(-I_x + I_y - I_z\right)}{I_x I_z - I_{xz}^2}$$

$$\dot{\phi} = P + Q \sin \phi \tan \theta + R \cos \phi \tan \theta$$

$$\dot{\theta} = Q \cos \phi - R \sin \phi$$

$$\dot{\psi} = \frac{Q \sin \phi + R \cos \phi}{\cos \theta}$$

$$\dot{\theta} = V \cos \alpha \cos \beta \sin \theta - V \cos \theta \left(\sin \beta \sin \phi + \sin \alpha \cos \beta \cos \phi\right) - V_{Az}$$

Models

Model: A description of the system. The model should capture the essential information about the system.

Systems	Models
Complex	Approximative (However, model should capture the relevant information of the system)
Building/Examining	Models can answer
systems is expensive,	many questions about
dangerous, time	the system.
consuming, etc.	

- Mental, intuitive or verbal models
 - > e.g., driving a car
- Graphs and tables
 - > e.g., Bode plots and step responses
- Mathematical models
 - ➤ e.g., differential and difference equations, which are well-suited for modeling dynamic systems

Mathematical Models and Benifits

- Do not require a physical system
 - Can treat new designs/technologies without prototype
 - Do not disturb operation of existing system
- Easier to work with than real world
 - Easy to check many approaches, parameter values, ...
 - Flexible to time-scales
 - Can access un-measurable quantities
- Support safety
 - > Experiments may be dangerous
 - Operators need to be trained for extreme situations
- Help to gain insight and better understanding

Mathematical Models

Model descriptions

- Transfer functions
- State-space models
- Block diagrams

Notation for continuous-time and discrete-time models


Complex Laplace variable s and differential operator p:

$$\dot{x}(t) = \partial x(t) / \partial t = px(t)$$

Complex z-transform variable z and shift operator q:

$$x(k+1) = qx(k)$$

Block diagram of a nonlinear system (DC-motor):



Type of Models and System Modeling

Models

```
mathematical – other

parametric – nonparametric

continuous-time – discrete-time

input/output – state-space

linear – nonlinear

dynamic – static

time-invariant – time-varying
```

SISO – MIMO

Modeling/System Identification

```
theoretical (physical) – experimental

white-box – grey-box – black-box

structure determination – parameter estimation

time-domain – frequency-domain

direct – indirect
```

- Parametric and Non-parametric Models

Many approaches to system identification, depending on model class

- linear/nonlinear
- parametric/nonparametric

Non-parametric methods try to estimate a generic model of a signal or system.

step responses, impulse responses, frequency responses, etc.

<u>Parametric</u> methods estimate parameters in a user-specified model

 parameters in transfer functions, state-space matrices of given order, etc.

- Linear and Nonlinear Models

The system identification methods are characterized by model type:

- A. Linear discrete-time model: Classical system identification
- **B. Neural network:** Strongly non-linear systems with complicated structures no relation to the actual physical structures/parameters (will not be covered)
- **C. General simulation model:** Any mathematical model, that can be simulated e.g. with Matlab\Simulink. It requires a realistic physical model structure, typically developed by theoretical modelling

- Linear and Nonlinear Models


- **D. Fuzzy systems**: linguistic descriptions of the input and output behavior. See e.g., when a person drives a car and uses the brakes.
- **E. Nonlinear models**: they are characterised by nonlinear functions.

Types of Models – Cont'd

Models can also be classified according to purpose:

- Models to assist plant design and operation
 - ➤ Detailed, physically based, often non-dynamic models to assist in fixing plant dimensions and other basic parameters
 - Economic models allowing the size and product mix of a projected plant to be selected
 - Economic models to assist decisions on plant renovation
- Models to assist control system design and operation
 - Fairly complete dynamic model, valid over a wide range of process operation to assist detailed quantitative design of a control system
 - ➤ Simple models based on crude approximation to the plant, but including some economically quantifiable variables, to allow the scope and type of a proposed control system to be decided
 - Reduced dynamic models for use on-line as part of a control system

Systems/Models Representations



How to Build Mathematical Models?

Two basic approaches:

Physical modeling

 □ Use first principles, laws of nature, etc. to model components
 □ Need to understand system and master relevant facts!

 System identification - Experimental modeling


 □ Use experiments and observations to deduce

■ Need prototype or real system!

model

Principle of System Identification

Basic Idea: estimate system from measurement of u(t) and y(t)




Issues:

- Choice of sampling frequency, input signal (experimental conditions)
- What class of models how to model disturbances?
- Estimating model parameters from sampled, finite and noisy data

Procedure of System Identification


- Experiment design and data collection
- Data preprocessing
- Model structure selection
- Parameter estimation
- Model validation




An iterative procedure!


Procedure of System Identification - I


- Experimental design and execution
- Data preprocessing
- Model structure determination
- Parameter estimation
- Model validation




Sugar Cane Crushing Process







Procedure of System Identification – II



Experiments and Data Collection

Often good to use a two-stage approach


1. Preliminary experiments

- step/impulse response tests to get basic understanding of system dynamics
- linearity, static gains, time delays, time constants, sampling interval

2. Data collection for model estimation

- carefully designed experiment to enable good model fit
- operating point, input signal type, number of data points to collect, etc.

Preliminary Experiments: Step Response Experiment




Useful for obtaining qualitative information about system

- Indicates dead-times, static gain, time constants and resonance frequency etc.
- Aids sampling time selection (rule-of-thumb: 4-10 sampling points over the rise time)

Designing Experiment for Model Estimation

Input signal should excite all relevant frequencies

- estimated model are more accurate in frequency ranges where input has high energy
- a good choice is often a binary sequence with random "hold times" (e.g., PRBS – Pseudo-Random Binary Sequence)




Trade-off in selection of signal amplitude

- large amplitude gives high signal-to-noise ratio (SNR), low parameter variance
 - most systems are nonlinear for large input amplitudes


Many pitfalls if estimating a model of a system under closed-loop control!

Data Collection



Sampling time selection and anti-alias filtering are central!

Procedure of System Identification



An iterative procedure!

Prefiltering of Data

Remove


- transients needed to reach desired operating point
- mean values of input and output signals, i.e., work with

$$\Delta u[t] = u[t] - \frac{1}{N} \sum_{t=1}^{N} u[t]$$

$$\Delta y[t] = y[t] - \frac{1}{N} \sum_{t=1}^{N} y[t]$$

- trends (use detrend in MATLAB)
- outliers ("obviously erroneous data points")

Procedure of System Identification




An iterative procedure!

Lecture 1

Model Structures

Model structures commonly used (BJ includes all others as special cases)



Model Structures - Cont'd

Model structures Based on Input-Output

Model	$\widetilde{p}(q)$	$\widetilde{p}_e(q)$
ARX	$\frac{B(q)}{A(q)}$	$\frac{1}{A(q)}$
ARMAX	$\frac{B(q)}{A(q)}$	$\frac{C(q)}{A(q)}$
FIR	B(q)	1
Box-Jenkins	$\frac{B(q)}{F(q)}$	$\frac{C(q)}{D(q)}$
Output Error	$\frac{B(q)}{F(q)}$	1

$$A(q)y[k] = \frac{B(q)}{F(q)}u[k] + \frac{C(q)}{D(q)}e[k] \quad \text{or} \quad y[k] = \widetilde{p}(q)u[k] + \widetilde{p}_e(q)e[k]$$

Model structures Based on State-Space Representation

$$x[k+1] = Ax[k] + Bu[k]$$
 or $x[k+1] = A(\theta)x[k] + B(\theta)u[k]$
 $y[k+1] = Cx[k+1] + Du[k+1]$ or $y[k+1] = C(\theta)x[k+1] + D(\theta)u[k+1]$


Choice of Model Structure

- Start with non-parametric estimates (correlation analysis, spectral estimation)
 - give information about model order and important frequency regions
- Prefilter input/output data to emphasize important frequency ranges
- 3. Begin with ARX (AutoRegressive with eXogeneous input) models
- 4. Select model orders via
 - cross-validation (simulate model and compare with new data)
 - Akaike's Information Criterion (AIC), i.e., pick the model that minimizes

$$(1+2\frac{d}{N})\sum_{t=1}^{N} \varepsilon[t;\theta]^2$$

(where *d* is the number of estimated parameters in the model)

Procedure of System Identification



An iterative procedure!

Nonparametric Estimation Methods

Nonparametric methods


- Transient response
- Correlation analysis
- Frequency responses analysis and Fourier analysis
- Spectral analysis
- Discussed in the "Automatica I (Laboratorio)" course, will not elaborated further in this course

Parametric Estimation Methods

- Non-recursive/Batch (off-line) methods
 - Linear regression and (block) least squares methods
 - Prediction error methods
 - Instrumental variable methods
 - Subspace methods (If possible, few details)
- Recursive (on-line) methods
 - Recursive Least Squares (RLS) methods

 Forgetting factor techniques and time-varying systems identification methods

Procedure of System Identification



An iterative procedure!

Model Validation


A critical evaluation: "is model good enough"?

- typically depends on the purpose of the model

Example

$$G(s) = \frac{1}{(s+1)(s+a)}$$


Open- and closed-loop responses for a = -0.01, 0, 0.01



Insufficient for open-loop prediction, good enough for closed-loop control.

Model Validation - cont'd

 Bode diagrams reveal why model is good enough for closed-loop control




 Different low-frequency behavior, similar responses around cross-over frequency

Principle of Model Validation

- Compare model simulation/prediction with real data in time domain
- 2. Compare estimated model's frequency response and spectral analysis result in frequency domain
- 3. Perform statistical tests on prediction errors

Validation: simulation and prediction

- Split data into two parts: one for estimation and one for validation
- Apply input signal in validation data set to estimated model
- Compare simulated output with output stored in validation data set



Statistical Model Validation

If we fit the parameters of the model

$$y[t] = G(q;\theta)u[t] + H(q;\theta)e[t]$$

to data, the *residuals*

$$\mathcal{E}[t] = H(q;\theta)^{-1} \{ y[t] - G(q;\theta)u[t] \}$$

represent a disturbance that explains mismatch between model and observed data.

If the model is correct, the residuals should be

- white, and
- uncorrelated with u

Statistical Model Validation - cont'd

To test if the residuals $\mathcal{E}[t]$ are **white**, we compute the autocovariance function

 $\hat{R}_{\varepsilon}(\tau) = \frac{1}{N} \sum_{t=1}^{N} \varepsilon[t] \varepsilon[t + \tau]$

and verify that its components lie within a 95% confidence region around zero.

large components indicate un-modelled dynamics


Independence tested by verifying that cross-correlation function

$$\hat{R}_{\varepsilon u}(\tau) = \frac{1}{N} \sum_{t=1}^{N} \varepsilon [t + \tau] u[t]$$

lie within a 95% confidence region around zero.

- large components indicate un-modelled dynamics,
- $-\hat{R}_{\text{\tiny Eu}}(au)$ nonzero for au < 0 (non-causality) indicate the presence of feedback

Statistical Model Validation - cont'd



- MATLAB Toolbox: System Identification

>> help ident

System Identification Toolbox.

Version 5.0.1 (R12.1) 18-May-2001

Simulation and prediction.

predict - M-step ahead prediction.

pe - Compute prediction errors.

sim - Simulate a given system.

Data manipulation.

iddata - Construct a data object.

detrend - Remove trends from data sets.

idfilt - Filter data through Butterworth filters.

idinput - Generates input signals for identification.

merge - Merge several experiments.

misdata - Estimate and replace missing input and output data.

resample - Resamples data by decimation and interpolation.

- MATLAB Toolbox: System Identification - cont'd

Nonparametric estimation.

covf - Covariance function estimate for a data matrix.

cra - Correlation analysis.

etfe - Empirical Transfer Function Estimate and Periodogram.

impulse - Direct estimation of impulse response.

spa - Spectral analysis.

step - Direct estimation of step response.

Parameter estimation.

ar - AR-models of signals using various approaches.

armax - Prediction error estimate of an ARMAX model.

arx - LS-estimate of ARX-models.

bj - Prediction error estimate of a Box-Jenkins model.

ivar - IV-estimates for the AR-part of a scalar time series.

iv4 - Approximately optimal IV-estimates for ARX-models.

n4sid - State-space model estimation using a sub-space method.

oe - Prediction error estimate of an output-error model.

pem - Prediction error estimate of a general linear model.

- MATLAB Toolbox: System Identification - cont'd

Model structure creation.

idpoly - Construct a model object from given polynomials.

idss - Construct a state space model object.

idarx - Construct a multivariable ARX model object.

idgrey - Construct a user-parameterized model object.

Model conversions.

arxdata - Convert a model to its ARX-matrices (if applicable).

polydata - Polynomials associated with a given model.

ssdata - IDMODEL conversion to state-space.

tfdata - IDMODEL conversion to transfer function.

zpkdata - Zeros, poles, static gains and their standard deviations.

idfrd - Model's frequency function, along with its covariance.

idmodred - Reduce a model to lower order.

c2d, d2c - Continuous/discrete transformations.

ss, tf, zpk, frd - Transformations to the LTI-objects of the CSTB.

Most CSTB conversion routines also apply to the model objects of the Identification Toolbox.

- MATLAB Toolbox: System Identification - cont'd

Model presentation.

- Bode diagram of a transfer function or spectrum (with uncertainty regions).

ffplot - Frequency functions (with uncertainty regions).

plot - Input - output data for data objects.

present - Display the model with uncertainties.

pzmap - Zeros and poles (with uncertainty regions).

nyquist - Nyquist diagram of a transfer function (with uncertainty regions).

view - The LTI viewer (with the Control Systems Toolbox for model objects).

Model validation.

compare - Compare the simulated/predicted output with the measured output.

pe - Prediction errors.

predict - M-step ahead prediction.

resid - Compute and test the residuals associated with a model.

sim - Simulate a given system (with uncertainty).

Model structure selection.

aic, fpe - Compute Akaike's information and final prediction criteria

arxstruc - Loss functions for families of ARX-models.

selstruc - Select model structures according to various criteria.

struc - Typical structure matrices for ARXSTRUC.

- MATLAB Toolbox: System Identification - cont'd


Practice yourself using Matlab System Identification toolbox demonstrations: "iddemo"


>> iddemo

The SYSTEM IDENTIFICATION TOOLBOX is an analysis module that contains tools for building mathematical models of dynamical systems, based upon observed input-output data. The toolbox contains both PARAMETRIC and NON-PARAMETRIC MODELING methods.


Identification Toolbox demonstrations:


- 1) The Graphical User Interface (ident): A guided Tour.
- 2) Build simple models from real laboratory process data.
- 3) Compare different identification methods.
- 4) Data and model objects in the Toolbox.
- 5) Dealing with multivariable systems.
- 6) Building structured and user-defined models.
- 7) Model structure determination case study.
- 8) How to deal with multiple experiments.
- 9) Spectrum estimation (Marple's test case).
- 10) Adaptive/Recursive algorithms.
- 11) Use of SIMULINK and continuous time models.
- 12) Case studies.







A System Identification Example: Hairdryer












Feedback's Process Trainer PT326

"Hairdryer" process: input is the voltage over the heating device; output is outlet temperature


Matlab: "iddemo" (demonstration 2)







Main Focus in This Course



An iterative procedure!

Lecture 1

Reading and Exercise

- Reading: Textbook, Chapter 1; Sections 4.1-4.3
- Further Reading (Master's Theses):
 - L. Ljung, From Data to Model: A Guided Tour of System Identification, Report No. LiTH-ISY-R-1652, Linköping University, Sweden, 1994.
- Exercise: None

Exams Procedure

- Data Selection and System Identification
- System Identification Toolbox in Matlab
 - □ Report preparation
- Oral examination

Lecture 1:

System Identification and Data Analysis

Any question, comment or suggestion?